J. ELECTROCARDIOLOGY 13, (4), 1980, 417-424

Author Index Volume 13

Abildskov, J.A., 237, 307
Araoye, M. A., 173
Artusi, L., 267
Babbs, C. F., 73
Baldwin, A., 275
Balke, C. W., 1
Baudouy, 353
Bhargava, V., 367
Bible, M., 373
Biessener, W., 219
Bourland, J. D., 359
Brooks, H. L., 93
Bruce, M. A., 61
Burgess, M. J., 237
Calabro, J., 153
Camm, A. J., 193
Camous, J. P., 353
Cangiano, B., 227
Carbonin, P., 99
Case, R. B., 167
Cazzin, R., 267
Chandurkar, S., 199
Chiaramida, S., 135
Chiozza, M. A., 301
Chung, E. K., 331
Cooke, B. M., 373
Covell, J., 367
Crow, R. S., 109
Curione, M., 297
Curtis, G. P., 401
David, D., 189
Davis, H. T., 125
DeCamilla, J. J., 125
Delise, P., 267
De Piccoli, B., 267
Dersham, G. H., 37, 67
Desai, J., 85
D'Este, D., 267
Di Gennaro, M., 99
Di Segni, E., 189
Dopirak, M. R., 185
Dreifus, L. S., 1
Dugan, F. A., 245
Dymond, D., 193
Echt, D., 199
Ellestad, M. H., 227, 373
Ettinger, P. O., 153
Ewy, G. A., 119
Fabsitz, R., 45
Feinleib, M., 45
Finkelstein, S., 219
Flowers, N. C., 143, 311
Foye, R., 301
Froelicher, V., 367
From, A. H. L., 173, 405
Fudemoto, Y., 253
Fujimoto, K., 253
Fulkerson, P. K., 283
Fumagalli, B., 204
Furberg, C., 109
Garrison, R. J., 45
Geddes, L. A., 73, 359
Gibelin, P., 353
Gold, F. L., 405
Goldberg, J. M., 205, 209
Goldberg, L., 199
Goldberg, S., 393
Goldberger, A. L., 115, 367, 379
Goldman, M., 135
Goldman, S., 119
Gonzalez, R., 85
Gorlin, R., 341, 393
Greenberg, P. S., 227, 373
Greenfield, J. C., Jr., 245
Guarino, L., 353
Guiran, J. B., 353
Hager, W. D., 119
Han, J., 37, 67
Hand, R. C., 311
Havlik, R. J., 45
Herman, M. V., 341
Hiraoka, M., 99
Hirobe, K., 253
Hood, W. B., Jr., 259
Horan, L. G., 311
Hunyor, S. N., 347
Ishikawa, K., 181, 417
Izumi, K., 291
Jacobellis, G., 297
Jain, U., 159
Jelatis, G., 219
Johnson, J. C., 311
Jones, S. A., 37
Jouve, A., 337
Jouve, R., 337
Kaplinsky, E., 1, 189
Kato, T., 49
Katzenstein, M., 189
Kersh, K., 85
Khair, G. Z., 93, 306
Kinoshita, S., 285
Klein, H. O., 189
Kligfield, P., 135
Kmetzo, J., 1
Kobayashi, T., 253
Koyama, M., 323
Kunkes, S. H., 341
Kuo, C. S., 103
Kupersmith, J., 341, 393
Kurokawa, S., 285
Larkin, H., 347
Lasser, R. P., 306
Leamy, L., 227
Leier, C. V., 185, 283
Lepeschkin, E., 275
Levy, M. J., 189
Levy, M. N., 199
Lichtenberg, S. B., 167
Lief, L. H., 401
Litwak, R. S., 393
Lopez, E. A., 173
Luminais, S. K., 135
Lux, R., 275
Lux, R. L., 237
Lynn-Johnson, M. H., 205, 209
Maroko, P. R., 99
Meller, J., 341
Mindich, B. P., 393
Mirvis, D. M., 99
Moore, R. J., 153
Mortara, D., 367
Moss, A. J., 125
Mosso, H., 301
Nelson, C. V., 387
Ogawa, S., 1
Oguri, H., 237
Ohnishi, S., 285
Oldewurtel, H. A., 153
Oyama, Y., 285
Ozawa, T., 49
Patouraux, G., 353
Perosio, A. M., 301
Peters, R. W., 85
Piccolo, E., 267
Pichard, A., 341
Pipberger, H. V., 173
Plonsey, R., 79
Port, S., 245
Prineas, R. J., 55, 109
Puddu, P. E., 337
Puletti, M., 297
Rautaharju, P. M., 55, 109, 159
Raviele, A., 267
Reddy, C. P., 103
Regan, T. J., 153
Ribeiro, L. G. T., 99
Righetti, G., 297
Roeske, W. R., 119
Rosenfeld, A. R., 119
Rudy, Y., 79
Rush, S., 275
Ryan, T. J., 259
Sambuc, R., 337
Sano, T., 25
Schaal, S. F., 185, 283
Scheinman, M. M., 85
Schick, E. C., Jr., 259
Schick, T. D., 37
Schwartz, M. J., 167
Seale, D., 109
Sharma, P. R., 331
Smets, Ph., 55
Sohi, G. S., 143
Spodick, D. H., 61
Spurrell, R. A. J., 193
Sridharan, M. R., 311
Starr, J. W., 245
Suarez, L. D., 301
Sugiyama, S., 49
Surawicz, B., 103
Suzuki, F., 25
Suzuki, K., 253
Suzuki, K., 323
Suzuki, S., 49
Tacker, W. A., 73,
Tiller, M., 219
Torresani, J., 337
Totaro, G., 267
Toyama, S., 253, 323
Tristani, F. E., 93, 306
Tsuchihashi, H., 25
Tuna, N., 219
Ulfers, L., 119
Untereker, W. J., 393
Valle, R., 99
Vasko, J. S., 283
Wagner, G. S., 245
Wang, R., 193
Ward, D. E., 193
Warren, J., 55
Weiner, D. A., 259
Wessale, J. L., 359
Whistler, S. J., 73
Wiemann, G., 393
Wyatt, R. F., 237
Yanagisawa, A., 409
Yim, G. K. W., 73
Yoshino, K., 253
Zema, M.J., 135

Subject Index Volume 13

A

Aberration
re-entry near the site of the ventricular parasystolic focus: An ECG study of patients with artificial ventricular pacemakers, 2:103-108

Action potentials
effects of Verapamil on action potentials of Purkinje fibers, 1:67-72

Alternation
of the ST segment and T wave in acute myocardial infarction, 3:297-300
type A alternating Wenckebach periodicity in the re-entrant path of ventricular extrasystoles, 3:285-290

Amiodarone
suppression of long standing incessant ventricular tachycardia by, 2:193-198

Angiogram
use of the multivariate approach to enhance the diagnostic accuracy of the treadmill stress test, 3:227-236

Animal studies
activation of the sulcus terminalis observed in the morphology of the canine P wave, 3:205-208
bipolar catheter defibrillation in dogs using trapezoidal waveforms of various tilts, 4:359-366
changes in canine P wave morphology observed with shifts in intra-SA nodal pacemaker localization, 3:209-218
coronary occlusion in dogs, 1:37-44
effects of Verapamil on action potentials of Purkinje fibers, 1:67-72
nonuniform epicardial depolarizations during coronary occlusion in dogs, 1:37-44

Anterior infarction
value of premature ventricular contraction morphology in the detection of myocardial infarction, 2:167-172

Aortic regurgitation
deep T wave inversions after valve replacement for chronic aortic regurgitation: possible conversion from a diastolic to systolic overload pattern, 4:379-386

Aortic stenosis
deep T wave inversions after valve replacement for chronic aortic regurgitation: possible conversion from a diastolic to systolic overload pattern, 4:379-386

Arrhythmia
response of atrial fibrillation to therapy: Role of etiology and left atrial diameter, 2:119-124
resulting from sensing malfunction in a P wave triggered pacemaker, 4:401-404
swallowing-dependent atrial tachyarrhythmias. Their mechanism, 3:301-305

Atrial activation
activation of the sulcus terminalis observed in the morphology of the canine P wave, 3:205-208

Atrial fibrillation
response of, to therapy, 2:119-124

Atrial plateau fiber
properties of the fibers in the pathways along the anterior and posterior portions of the left A-V ring, 1:25-36

Atrioventricular nodal conduction
enhanced, in a patient with dual extranodal pathways, 1:85-92
triple A-V nodal pathways in man? 2:185-188

Autonomic nerves
activation of the sulcus terminalis observed in the morphology of the canine P wave, 3:205-208

B

Bachmann's bundle
properties of the fibers in the pathways along the anterior and posterior portions of the left A-V ring, 1:25-36

Bernoulli features
diagnostic accuracy of the conventional 12-lead and the orthogonal Frank-lead electrocardiograms in the detection of myocardial infarctions with classifiers using continuous and Bernoulli features, 2:159-166

Bundle branch block
alternating, 4:405-408

C

Cardioversion
response of atrial fibrillation to therapy: Role of etiology and left atrial diameter, 2:119-124

Chest wall stimulation
use of, to localize and treat pacemaker sensing failure, 3:283-284

Computer analysis
a comparison between Frank and SVEC III lead systems in normal subjects, 3:219-226

Concealed bigeminy
unifocal origin of multiform extrasystoles in, 2:199-203

Concealed conduction
alternating bundle branch block, 4:405-408
effects of an interpolated premature ventricular contraction on the A-V conduction of the subsequent premature atrial depolarization, 4:353-358

Conduction defect
recognition of myocardial infarction complicated by left anterior hemiblock, 1:93-99

Coronary artery disease
clinical implication of surface morphology of ventricular premature contractions, 4:331-336
use of heart rate responses to standing and hyperventilation at rest to detect, 4:373-378
use of the ambulatory ECG to diagnose, 4:341-346
vectorcardiographic assessment of anterior and apical myocardial infarction, 3:245-252

Coronary occlusion
in dogs, nonuniform epicardial depolarizations during, 1:37-44

Coronary vasospasm
increase in R-wave amplitude during transient epicardial injury (Prinzmetal type), 3:259-266

D

Defibrillation threshold
bipolar catheter defibrillation in dogs using trapezoidal waveforms of various tilts, 4:359-366
dependence of defibrillation threshold upon extracellular/intracellular K+ concentrations, 1:73-78

Depolarization
effects of left anterior fascicular block on the depolarization process as depicted by total body surface mapping, 2:143-152
nonuniform epicardial depolarizations during coronary occlusion in dogs, 1:37-44

Diastolic overload
deep T wave inversions after valve replacement for chronic aortic regurgitation: Possible conversion from a diastolic to systolic overload pattern, 4:379-386

Disopyramide effects
swallowing-dependent atrial tachyarrhythmias. Their mechanism, 3:301-305

Drug studies
effects of verapamil and propranolol on ventricular vulnerability after coronary reperfusion, 1:49-54
effects of verapamil on action potentials of Purkinje fibers, 1:67-72

Dual extranodal pathways
enhanced atrioventricular nodal conduction in a patient with, 1:85-92

E

Echocardiogram
response of atrial fibrillation to therapy: Role of etiology and left atrial diameter, 2:119-124

Echocardiography
evaluation of unusual QRS complexes produced by pacemaker stimuli, 4:409-416

Electrocardiogram
activation of the sulcus terminalis observed in the morphology of the canine P wave, 3:205-208
ambulatory
use of, to diagnose coronary artery disease, 4:341-346
atypical
in acute pericarditis: Characteristics and prevalence, 1:61-66
changes in canine P wave morphology observed with shifts in intra-SA nodal pacemaker localization, 3:209-218
clinical implication of surface morphology of ventricular premature contractions, 4:331-336
comments on the effect of variations in the size of the heart on the magnitude of ECG potentials, 1:79-82
comparison between Frank and SVEC III lead systems in normal subjects, 3:219-226
diagnostic accuracy of the conventional 12-lead and the orthogonal Frank-lead, 2:159-166
evaluation of unusual QRS complexes produced by pacemaker stimuli, 4:409-416
intraesophagic
swallowing-dependent atrial tachyarrhythmias. Their mechanism, 3:301-305
models
quantitative comparison of pre-mortem ECG's with those reconstructed from activation data of a revived heart, 3:275-282
optimal coding of, for epidemiological studies, 1:55-60
orthogonal
critical evaluation of the twin peaked P wave in, 2:181-184
precordial voltage variation in the normal, 4:347-352
relative influence of intracardiac blood hematocrit and volume on, 4:387-392
use of the multivariate approach to enhance the diagnostic accuracy of the treadmill stress test, 3:227-236

Electrocardiography
effect of modified limb electrode positions on electrocardiographic wave amplitudes, 2:109-114
electrocardiographic poor R wave progression III. The normal variant, 2:135-142
re-entry near the site of the ventricular parasystolic focus: An ECG study of patients with artificial ventricular pacemakers, 2:103-108
response of atrial fibrillation to therapy: Role of etiology and left atrial diameter, 2:119-124
serial
precordial voltage variation in the normal electrocardiogram, 4:347-352
variability of heart rate, P-R, QRS and Q-T durations in twins, 1:45-48

Electrode placement
the influence of, in the reconstruction and analysis of body surface potential maps from limited thoracic arrays, 4:311-322

Electrophysiology
anterior displacement of the QRS loop as a right ventricular conduction disturbance. Electrophysiologic and vectorcardiographic study in man, 3:267-274

intramyocardial activation in early ventricular arrhythmias following coronary artery ligation, 1:1-6
ventricular tachyarrhythmias in regional myocardial hyperkalemia: Efficacy of three antiarrhythmic agents, 2:153-158

Epidemiological studies
optimal coding of electrocardiograms for, 1:55-60

Environment
variability of heart rate, P-R, QRS and Q-T durations in twins, 1:45-48

Exercise
use of heart rate responses to standing and hyperventilation at rest to detect coronary artery disease: Correlation with the ST response to exercise, 4:373-378
use of the ambulatory ECG to diagnose coronary artery disease, 4:341-346

F

Fascicular block
alternating bundle branch block, 4:405-408

Frank leads
a comparison between Frank and SVEC III lead systems in normal subjects, 3:219-226

G

Genetics
variability of heart rate, P-R, QRS, and Q-T durations in twins, 1:45-48

H

Heart
activation
quantitative comparison of pre-mortem ECG's with those reconstructed from activation date of a revived heart, 3:275-282
autonomic control of
changes in canine P wave morphology observed with shifts in intra-SA nodal pacemaker localization, 3:209-218
block
recognition of myocardial infarction complicated by left anterior hemiblock, 1:93-99
rate responses
use of heart rate responses to standing and hyperventilation at rest to detect coronary artery disease: Correlation with the ST response to exercise, 4:373-378
size
comments on the effect of variations in the size of the heart on the magnitude of ECG potentials, 1:79-82
suppression of long standing incessant ventricular tachycardia by amiodarone, 2:193-198
ventricle
dependence of defibrillation threshold upon extracellular/intracellular K+ concentrations, 1:73-78

Hematocrit
relative influence of intracardiac blood hematocrit and volume on the electrocardiogram, 4:387-392

Hemiblock
increase in R-wave amplitude during transient epicardial injury (Prinzmetal type), 3:259-266
left anterior, 3:306
recognition of myocardial infarction complicated by left anterior, 1:93-98

His-bundle electrogram
swallowing-dependent atrial tachyarrhythmias. Their mechanism, 3:301-305

His-Purkinje
alternating bundle branch block, 4:405-408

Hyperkalemia
dependence of defibrillation threshold upon extracellular/intracellular K+ concentrations, 1:73-78

I

Inferior infarction
pseudo-infarct patterns in the Wolff-Parkinson-White syndrome: Importance of Q wave-T wave vector discordance, 2:115-118

Injury block
increase in R-wave amplitude during transient epicardial injury (Prinzmetal type), 3:259-266

Interatrial pathway
properties of the fibers in the pathways along the anterior and posterior portions of the left A-V ring, 1:25-36

Internodal pathway
properties of the fibers in the pathways along the anterior and posterior portions of the left A-V ring, 1:24-36

Interventricular septum
evaluation of unusual QRS complexes produced by pacemaker stimuli, 4:409-416

Intra-atrial block
swallowing-dependent atrial tachyarrhythmias. Their mechanism, 3:301-305

Intracardiac blood volume
relative influence of intracardiac blood hematocrit and volume on the electrocardiogram, 4:387-392

Ischemia
wave increase in partial and global, 1:99

Isochrones
quantitative comparison of pre-mortem ECG's with those reconstructed from activation data of a revived heart, 3:275-282

L

Left anterior fascicular block
effects of, on the depolarization process as depicted by total body surface mapping, 3:143-152

Left A-V ring pathway
properties of the fibers in the pathways along the anterior and posterior portions of the Left A-V ring, 1:25-36

Left bundle branch block
pattern
evaluation of unusual QRS complexes produced by pacemaker stimuli, 4: 409-416
2:1
direct Wenckebach periods in the left bundle branch during bradycardia-dependent left bundle branch block in a patient with sick sinus syndrome, 3:291-296

Left ventricular hypertrophy
electrocardiographic poor R wave progression III. The normal variant, 2:135-142

Left ventriculogram
revaluation of the vectorcardiographic criteria in cases of myocardial infarction, 3:253-258

Lesion current
alternans of the ST segment and T wave in acute myocardial infarction, 3:297-300

Lidocaine
ventricular tachyarrhythmias in regional myocardial hyperkalemia: Efficacy of three antiarrhythmic agents, 2:153-158

Limb leads
effect of modified limb electrode positions on electrocardiographic wave amplitudes, 2:109-114
rational arrangement of, 2:204

Limited thoracic arrays
influence of electrode placement in the reconstruction and analysis of body surface potential maps from, 4:311-322

Long QT syndrome
permanent overdrive pacing for the suppression of recurrent ventricular tachycardia in a newborn with long QT syndrome, 2:189-192

M

Maps
electrophysiologic
superficial accessory pathway in the Wolff-Parkinson-White syndrome—Electrophysiological, surgical and histologic demonstration, 4:393-400
isopotential
body surface distribution of QRS deflection areas in experimental ventricular preexcitation, 3:237-244
isopotential mapping of the T wave in myocardial infarction, 4:323-330
surface potential
influence of electrode placement in the reconstruction and analysis of body surface potential maps from limited thoracic arrays, 4:311-322
quantitative comparison of pre-mortem ECG's with those reconstructed from activation data of a revived heart, 3:275-282

Membrane potential
dependence of defibrillation threshold upon extracellular/intracellular K+ concentrations, 1:73-78

Models
electrocardiogram
quantitative comparison of premortem ECG's with those reconstructed from activation data of a revived heart, 3:275-282
mathematical
comments on the effect of variations in the size of the heart on the magnitude of ECG potentials, 1:79-82

Multiform extrasystoles
unifocal origin of, in concealed bigeminy, 2:199-203

Myocardial hyperkalemia
regional
ventricular tachyarrhythmias in, 2:153-158

Myocardial infarction
acute
prolonged electrical systole in, 4:337-340
anteroapical
vectorcardiographic assessment of anterior and apical myocardial infarction, 3:245-252
diagnostic accuracy of the conventional 12-lead and the orthogonal Frank-lead electrocardiograms in detection of, 2:159-166
effect of, on the peak amplitude of high frequency QRS potentials, 4:367-372
electrocardiographic poor R wave progression III. The normal variant, 2:135-142
frequency and complexity of ventricular ectopic beats in the posthospital phase of, 2:125-134
intramyocardial activation in early ventricular arrhythmias following coronary artery ligation, 1:1-6
isopotential mapping of the T wave in, 4:
Q-wave abnormalities in chronic obstructive pulmonary disease and, 2:173-180
recognition of, complicated by left anterior hemiblock, 1:93-99
revaluation of the vectorcardiographic criteria in cases of, 3:253-258

Myocardial lesion size
relation of, to the QRS complex of vectorcardiographic leads, 4:307-310

N

Neonatal arrhythmia
permanent overdrive pacing for the suppression of recurrent ventricular tachycardia in a newborn with long QT syndrome 2:189-192

Nodal conduction
effects of an interpolated premature ventricular contraction on the AV conduction of the subsequent premature atrial depolarization, 4:353-358

Notching and slurring
effect of myocardial infarction on the peak amplitude of high frequency QRS potentials, 4:367-372

P

Pacemaker
artificial
evaluation of unusual QRS complexes produced by pacemaker stimuli, 4:409-416
permanent overdrive pacing for the suppression of recurrent ventricular tachycardia in a newborn with long QT syndrome, 2:189-192
re-entry near the site of the ventricular parasystolic focus: An ECG study of patients with artificial ventricular pacemakers, 2:103-108
localization
activation of the sulcus terminalis observed in the morphology of the canine P wave, 3:205-208
P wave triggered
arrhythmia resulting from sensing malfunction in, 4:401-404
sensing failure
use of chest wall stimulation to localize and treat, 3:283-284
shifts
changes in canine P wave morphology observed with shifts in intra-SA nodal pacemaker localization, 3:209-218

Paroxysmal tachycardia
atrial
swallowing-induced paroxysmal supraventricular tachycardia, 1:83-84
supraventricular
triple AV nodal pathways in man?, 2:185-188

Pericarditis
atypical electrocardiogram in acute pericarditis; characteristics and prevalence, 1:61-66

Phase-4 depolarization
direct Wenckebach periods in the left bundle branch during Bradycardia-dependent left bundle branch block in a patient with sick sinus syndrome, 3:291-296

Postcoronary patients
frequency and complexity of ventricular ectopic beats in the posthospital phase of myocardial infarction, 2:125-134

Potassium
dependence of defibrillation threshold upon extracellular/intracellular K+ concentrations, 1:73-78
ventricular tachyarrhythmias in regional myocardial hyperkalemia: Efficacy of three antiarrhythmic agents, 2:153-158

Practolol
ventricular tachyarrhythmias in regional myocardial hyperkalemia: Efficacy of three anti-arrhythmic agents, 2:153-158

Precordial voltage variation
in the normal electrocardiogram, 4:347-352

Preexcitation
body surface distribution of QRS deflection areas in experimental ventricular, 3:237-244

Premature atrial depolarization
effects of an interpolated premature ventricular contraction on the AV conduction of, 4:353-358

Procaine
ventricular tachyarrhythmias in regional myocardial hyperkalemia: Efficacy of three antiarrhythmic agents, 2:153-158

Prolonged electrical systole
in acute myocardial infarction, 4:337-340

Propranolol
effects of, on ventricular vulnerability after coronary reperfusion, 1:49-55

"Pseudo-P mitrale"
critical evaluation of the twin peaked P wave ("pseudo-P mitrale") in the orthogonal electrocardiogram, 2:181-184

Pseudo-infarct Q waves
pseudo-infarct patterns in the Wolff-Parkinson-White syndrome: Importance of Q wave-T wave vector discordance, 2:115-118

Pulmonary disease
Q-wave abnormalities in chronic obstructive pulmonary disease and myocardial infarction, 2:173-180

Purkinje fibers
effects of verapamil on action potentials of, 1:67-72

PVC's
induced
value of premature ventricular contraction morphology in the detection of myocardial infarction, 2:167-172

P wave
activation of the sulcus terminalis observed in the morphology of the canine P wave, 3:205-208
changes in canine P wave morphology observed with shifts in intra-SA nodal pacemaker localization, 3:209-218
twin-peaked
critical evaluation of the twin peaked P wave ("Pseudo-P mitral") in orthogonal electrocardiogram, 2:181-184

Q

Q-wave
abnormalities in chronic obstructive pulmonary disease and myocardial infarction, 2:173-180

QRS
complex
the relation of localized myocardial lesion size to, 4:307-310
deflection areas
body surface distribution of, in experimental ventricular preexcitation, 3:237-244

horizontal loop
anterior displacement of, as a right ventricular conduction disturbance, 3:267-274
potentials
effect of myocardial infarction on the peak amplitude of high frequency QRS potentials, 4:367-372

Q-T interval
prolonged electrical systole in acute myocardial infarction, 4:337-340

R

Re-entry
near the site of the ventricular parasystolic focus: An ECG study of patients with artificial ventricular pacemakers, 2:103-108
nonuniform epicardial depolarizations during coronary occlusion in dogs, 1:37-44
swallowing-induced paroxysmal supraventricular tachycardia, 1:83-84

Refractory period
alternating bundle branch block, 4:405-408

Rhythm disorders
use of chest wall stimulation to localize and treat pacemaker sensing failure, 3:283-284

Right bundle branch block
anterior displacement of the QRS loop as a right ventricular conduction disturbance, 3:267-274
evaluation of unusual QRS complexes produced by pacemaker stimuli, 4:409-416
quantitive comparison of pre-mortem ECG's with those reconstructed from activation data of a revived heart, 3:275-282

Right ventricular hypertrophy
electrocardiographic poor R wave progression III. The normal variant, 2:135-142

R wave
electrocardiographic poor R wave progression III. The normal variant, 2:135-142

S

Scintigram
revaluation of the vectorcardiographic criteria in cases of myocardial infarction, 3:253-258

Secondary ST-T changes
pseudo-infarct patterns in the Wolff-Parkinson-White syndrome: Importance of Q wave-T wave vector discordance, 2:115-118

Sensing malfunction
arrhythmia resulting from, in a P wave triggered pacemaker, 4:401-404

Sex differences
use of the multivariate approach to enhance the diagnostic accuracy of the treadmill stress test, 3:227-236

Sinoatrial node
changes in canine P wave morphology observed with shifts in intra-SA nodal pacemaker localization, 3:209-218

Strength-duration curve
bipolar catheter defibrillation in dogs using trapezoidal waveforms of various tilts, 4:359-366

ST
depression
use of heart rate responses to standing and hyperventilation at rest to detect coronary artery disease: correlation with the ST response to exercise, 4:373-378
segment
alternans of the ST segment and T wave in acute myocardial infarction, 3:297-300
segment deviations
atypical electrocardiogram in acute pericarditis: Characteristics and prevalence, 1:61-66

Sudden death
alternating bundle branch block, 4:405-408
dependence of defibrillation threshold upon extra-cellular/intracellular K+ concentrations, 1:73-78

Sulcus terminalis
activation of, observed in the morphology of the canine P wave, 3:205-208

Superficial accessory pathway
in the Wolff-Parkinson-White syndrome, 4:393-400

Supernormal conduction
direct Wenckebach periods in the left bundle branch during bradycardia-dependent left bundle branch block in a patient with sick sinus syndrome, 3:291-296

Supraventricular
arrhythmia
response of atrial fibrillation to therapy: Role of etiology and left atrial diameter, 2:119-124
tachycardia
swallowing-induced paroxysmal, 1:83-84

SVEC III leads
a comparison between Frank and SVEC III lead systems in normal subjects, 3:219-226

Swallowing
-induced paroxysmal supraventricular tachycardia, 1:83-84

Systolic overload
deep T wave inversions after valve replacement for chronic aortic regurgitation: Possible conversion from a diastolic to systolic overload pattern, 4:379-386

T

"Torsade de pointes" ventricular tachycardia
permanent overdrive pacing for the suppression of recurrent ventricular tachycardia in a newborn with long QT syndrome, 2:189-192

Transseptal retrograde penetration
direct Wenckebach periods in the left bundle branch during bradycardia-dependent left bundle branch block in a patient with sick sinus syndrome, 3:291-296

Treadmill stress test
use of the multivariate approach to enhance the diagnostic accuracy of, 3:227-236

Triple AV nodal pathways
in man, 2:185-188

T Wave
alternans of the ST segment and T wave in acute myocardial infarction, 3:297-300
deep T wave inversions after valve replacement for chronic aortic regurgitation: Possible conversion from a diastolic to systolic overload pattern, 4:379-386
isopotential mapping of, in myocardial infarction, 4:323-330

Twins
variability of heart rate, P-R, QRS and Q-T durations in, 1:45-48

V

Variant angina
increase in R-wave amplitude during transient epicardial injury (Prinzmetal type), 3:259-266

Vectorcardiograms
a comparison between Frank and SVEC III lead systems in normal subjects, 3:219-226

Vectorcardiography
anterior displacement of the QRS loop as a right ventricular conduction disturbance. Electrophysiologic and vectorcardiographic study in man, 3:267-274
evaluation of unusual QRS complexes produced by pacemaker stimuli, 4:409-416
relation of localized myocardial lesion size to the QRS complex of vectorcardiographic leads, 4:307-310
revaluation of the vectorcardiographic criteria in cases of myocardial infarction, 3:253-258
vectorcardiographic assessment of anterior and apical myocardial infarction, 3:245-252

Ventricular
contractions, premature
clinical implication of surface morphology of, 4:331-336
effects of, on the AV conduction of the subsequent premature atrial depolarization, 4:353-356
couplet
re-entry near the site of the ventricular parasystolic focus: An ECG study of patients with artificial ventricular pacemakers, 2:103-108
defibrillation
bipolar catheter defibrillation in dogs using trapezoidal waveforms of various tilts, 4:359-366
ectopic beats
frequency and complexity of, in the posthospital phase of myocardial infarction, 2:125-134
extrasystoles
type A alternating Wenckebach periodicity in the re-entrant path of ventricular extrasystoles, 3:285-290
fibrillation
bipolar catheter defibrillation in dogs using trapezoidal waveforms of various tilts, 4:359-366
intramyocardial activation in early ventricular arrhythmias following coronary artery ligation, 1:1-6
parasystole
re-entry near the site of the ventricular parasystolic focus: An ECG study of patients with artificial ventricular pacemakers, 2:103-108
tachyarrhythmias
in regional myocardial hyperkalemia: Efficacy of three antiarrhythmic agents, 2:153-158
tachycardia
intramyocardial activation in early ventricular arrhythmias following coronary ligation, 1:1-6
suppression of long standing incessant ventricular tachycardia by amiodarone, 2:193-198
vulnerability
effects of verapamil and propranolol on, after coronary reperfusion, 1:49-55

Verapamil
effects of, on action potentials of Purkinje fibers, 1:67-72
effects of, on ventricular vulnerability after coronary reperfusion, 1:49-54

Visual coding
optimal coding of electrocardiograms for edidemiological studies. The performance of human coders—a statistical model, 1:55-60

W

Wall motion
value of premature ventricular contraction morphology in the detection of myocardial infarction, 2:167-172

Wave amplitudes
the effect of modified limb electrode positions on electrocardiographic wave amplitudes, 2:109-114

Wolff-Parkinson-White syndrome
body surface distribution of QRS deflection areas in experimental ventricular preexcitation, 3:237-244
pseudo-infarct patterns in, 2:115-118
superficial accessory pathway in, 4:393-400

NUMBER 1

Original Communications:
Intramyocardial Activation in Early Ventricular Arrhythmias Following Coronary Artery Ligation
By *E. Kaplinsky, S. Ogawa, J. Kmetzo, C.W. Balke and L. Dreifus* 1
Confidence Regions of Planar Cardiac Vectors
By *S. Dubin, A. Herr and P. Hunt* 7
Left Atrial Size in Childhood
By *T.M. Biancaniello, G.S. Bissett III, W. E. Guam, R.A. Meyer and S. Kaplan* 11
Arrhythmia Diagnosis by the IBM Electrocardiogram Analysis Program
By *H. Miyahara, K. Endou, A. Domae and T. Sato* 17
Properties of the Fibers in the Pathways Along the Anterior and Posterior Portions of the Left A-V Ring
By *H. Tsuchihashi, F. Suzuki and T. Sano* 25
Nonuniform Epicardial Depolarizations During Coronary Occlusion in Dogs
By *T.D. Schick, G.H. Dersham, S.A. Jones and J. Han* 37
Variability of Heart Rate, P-R, QRS and Q-T Durations in Twins
By *R.J. Havlik, R.J. Garrison, R. Fabsitz and M. Feinleib* 45
Effects of Verapamil and Propranolol on Ventricular Vulnerability After Coronary Reperfusion
By *S. Sugiyama, T. Ozawa, S. Suzuki and T. Kato* 49
Optimal Coding of Electrocardiograms for Epidemiological Studies. The Performance of Human Coders—A Statistical Model
By *P.M. Rautaharju, J. Warren, R.J. Prineas and Ph. Smets* 55
Atypical Electrocardiogram in Acute Pericarditis: Characteristics and Prevalence
By *M.A. Bruce and D.H. Spodick* 61
Effects of Verapamil on Action Potentials of Purkinje Fibers
By *G.H. Dersham and J. Han* 67
Dependence of Defibrillation Threshold Upon Extracellular/Intracellur K^+ Concentrations
By *C.F. Babbs, S.J. Whistler, G.K.W. Yim, W.A. Tacker and L.A. Geddes* 73
Technical Communication:
Comments on the Effect of Variations in the Size of the Heart on the Magnitude of ECG Potentials
By *Y. Rudy and R. Plonsey* 79
Case Studies:
Swallowing-Induced Paroxysmal Supraventricular Tachycardia
By *A.L. Goldberger and A.D. Johnson* 83
Enhanced Atrioventricular Nodal Conduction in a Patient with Dual Extranodal Pathways
By *R. Gonzales, M.M. Scheinman, J. Desai, K. Kersh and R.W. Peters* 85
Recognition of Myocardial Infarction Complicated by Left Anterior Hemiblock: A Diagnostic Dilemma
By *G.Z. Khair, F.E. Tristani and H.L. Brooks* 93
Letters to the Editor:
Wave Increase in Partial and Global Ischemia
By *P. Carbonin, M. Di Gennaro, and R. Valle; D.M. Mirvis; P.R. Maroko and L.G.T. Ribeiro* 99
In Memoriam: Toyomi Sano
By *M. Hiraoka* 101

NUMBER 2

Original Communications:

Re-Entry Near the Site of the Ventricular Parasystolic Focus: An ECG Study of Patients with Artificial Ventricular Pacemakers
By *B. Surawicz, C. S. Kuo and C. P. Reddy* 103

The Effect of Modified Limb Electrode Positions on Electrocardiographic Wave Amplitudes
By *P. M. Rautaharju, R. J. Prineas, R. S. Crow, D. Seale and C. Furberg* 109

Pseudo-Infarct Patterns in the Wolff-Parkinson-White Syndrome: Importance of Q Wave-T Wave Vector Discordance
By *A. L. Goldberger* 115

Response of Atrial Fibrillation to Therapy: Role of Etiology and Left Atrial Diameter
By *G. A. Ewy, L. Ulfers, W. D. Hager, A. R. Rosenfeld, W. R. Roeske and S. Goldman* 119

Frequency and Complexity of Ventricular Ectopic Beats in the Post-hospital Phase of Myocardial Infarction
By *J. J. DeCamilla, H. T. Davis and A. J. Moss* 125

Electrocardiographic Poor R Wave Progression III. The Normal Variant
By *M. J. Zema, S. K. Luminais, S. Chiaramida, M. Goldman and P. Kligfield* 135

Effects of Left Anterior Fascicular Block on the Depolarization Process as Depicted by Total Body Surface Mapping
By *G. S. Sohi and N. C. Flowers* 143

Ventricular Tachyarrhythmias in Regional Myocardial Hyperkalemia: Efficacy of Three Antiarrhythmic Agents
By *P. O. Ettinger, R. J. Moore, J. Calabro, H. A. Oldewurtel and T. J. Regan* 153

Diagnostic Accuracy of the Conventional 12-lead and the Orthogonal Frank-lead Electrocardiograms in Detection of Myocardial Infarctions with Classifiers Using Continuous and Bernoulli Features
By *U. Jain and P. M. Rautaharju* 159

Value of Premature Ventricular Contraction Morphology in the Detection of Myocardial Infarction
By *S. B. Lichtenberg, M. J. Schwartz and R. B. Case* 167

Q-Wave Abnormalities in Chronic Obstructive Pulmonary Disease and Myocardial Infarction
By *E. A. Lopez, A. H. L. From, M. A. Araoye and H. V. Pipberger* 173

Critical Evaluation of the Twin Peaked P wave ("Pseudo-P mitrale") in Orthogonal Electrocardiograms
By *K. Ishikawa and H. V. Pipberger* 181

Case Studies:

Triple AV Nodal Pathways in Man?
By *M. R. Dopiral, S. F. Schaal and C. V. Leier* 185

Permanent Overdrive Pacing for the Suppression of Recurrent Ventricular Tachycardia in a Newborn With Long QT Syndrome
By *E. DiSegni, D. David, M. Katzenstein, H. O. Klein, E. Kaplinsky and M. J. Levy* 189

Suppression of Long-Standing Incessant Ventricular Tachycardia by Amiodarone
By *D. E. Ward, A. J. Camm, R. Wang, D. Dymond and R. A. J. Spurrell* 193

Unifocal Origin of Multiform Extrasystoles in Concealed Bigeminy
By *D. Echt, S. Chandurkar, L. Goldberg and M. N. Levy* 199

Letter to the Editor:

Rational Arrangement of Limb Leads
By *B. Fumagalli* 204

NUMBER 3

Original Communications:

Activation of the Sulcus Terminalis Observed in the Morphology of the Canine P Wave
by *J. M. Goldberg and M. H. Lynn-Johnson* 205

Changes in Canine P Wave Morphology Observed with Shifts in Intra-SA Nodal Pacemaker Localization
By *J. M. Goldberg and M. H. Lynn-Johnson* 209

A Comparison Between Frank and SVEC III Lead Systems in Normal Subjects
By *N. Tuna, S. Finkelstein, W. Biessener, G. Jelatis and M. Tiller* 219

Use of the Multivariate Approach to Enhance the Diagnostic Accuracy of the Treadmill Stress Test
By *P. S. Greenberg, B. Cangiano, L. Leamy and M. H. Ellestad* 227

Body Surface Distribution of QRS Deflection Areas in Experimental Ventricular Preexcitation
By *H. Oguri, R. L. Lux, M. J. Burgess, R. F. Wyatt and J. A. Abildskov* 237

Vectorcardiographic Assessment of Anterior and Apical Myocardial Infarction
By *S. Port, F. A. Dugan, J. W. Starr, J. C. Greenfield, Jr. and G. S. Wagner* 245

Revaluation of the Vectorcardiographic Criteria in Cases of Myocardial Infarction: A Comparative Study of the Vectorcardiogram, the Left Ventriculogram and the Scintigram
By *K. Suzuki, S. Toyama, K. Yoshino, K. Hirobe, T. Kobayashi, Y. Fudemoto and K. Fujimoto* 253

Increase in R-Wave Amplitude During Transient Epicardial Injury (Prinzmetal Type)
By *E. C. Schick, Jr., D. A. Weiner, W. B. Hood, Jr. and T. J. Ryan* 259

The Anterior Displacement of the QRS Loop as a Right Ventricular Conduction Disturbance. Electrophysiologic and Vectorcardiographic Study in Man
By *E. Piccolo, P. Delise, A. Raviele, D. D'Este, G. Totaro, B. De Piccoli, L. Artusi and R. Cazzin* .. 267

Special Article:

Quantitative Comparison of Pre-Mortem ECG's with Those Reconstructed From Activation Data of a Revived Heart
By *S. Rush, R. Lux, A. Baldwin and E. Lepeschkin* 275

Recent Progress in Cardiac Pacing:

Use of Chest Wall Stimulation to Localize and Treat Pacemaker Sensing Failure
By *P. K. Fulkerson, C. V. Leier, J. S. Vasko and S. F. Schaal* 283

Case Studies:

Type A Alternating Wenckebach Periodicity in the Re-entrant Path of Ventricular Extrasystoles
By *S. Kinoshita, S. Kurokawa, S. Ohnishi and Y. Oyama* 285

Direct Wenckebach Periods in the Left Bundle Branch During Bradycardia-Dependent Left Bundle Branch Block in a Patient with Sick Sinus Syndrome
By *K. Izumi* 291

Alternans of the ST Segment and T Wave in Acute Myocardial Infarction
By *M. Puletti, M. Curione, G. Righetti and G. Jacobellis* 297

Swallowing-Dependent Atrial Tachyarrhythmias. Their Mechanism
By *L. D. Suarez, M. A. Chiozza, R. Foye, H. Mosso and A. M. Perosio* 301

Letters to the Editor:

Left Anterior Hemiblock
By *R. P. Lasser; G. Z. Khair and F. Tristani* 306

NUMBER 4

Original Communications

The Relation of Localized Myocardial Lesion Size to the QRS Complex of Vectorcardiographic Leads
By *J.A. Abildskov* 307

The Influence of Electrode Placement in the Reconstruction and Analysis of Body Surface Potential Maps from Limited Thoracic Arrays
By *L.G. Horan, R.C. Hand, N.C. FLowers, J.C. Johnson and M.R. Sridharan* 311

The Isopotential Mapping of the T Wave in Myocardial Infarction
By *S. Toyama, K. Suzuki and M. Koyama* 323

Clinical Implication of Surface Morphology of Ventricular Premature Contractions
By *P.R. Sharma and E.K. Chung* 331

Prolonged Electrical Systole in Acute Myocardial Infarction
By *P.E. Puddu, R. Jouve, J. Torresani, R. Sambuc and A. Jouve* 337

Use of the Ambulatory ECG to Diagnose Coronary Artery Disease
By *S.H. Kunkes, A. Pichard, J. Meller, R. Gorlin, M.V. Herman and J. Kupersmith* 341

Precordial Voltage Variation in the Normal Electrocardiogram
By *H. Larkin and S.N. Hunyor* 347

Effects of an Interpolated Premature Ventricular Contraction on the AV Conduction of the Subsequent Premature Atrial Depolarization. An Apparent Facilitation
By *J.P. Camous, M. Baudouy, L. Guarino, P. Gibelin, G. Patouraux and J.B. Guiran* 353

Bipolar Catheter Defibrillation in Dogs Using Trapezoidal Waveforms of Various Tilts
By *J.L. Wessale, J.D. Bourland, W.A. Tacker and L.A. Geddes* 359

Effect of Myocardial Infarction on the Peak Amplitude of High Frequency QRS Potentials
By *A.L. Goldberger, V. Bhargava, V. Froelicher, J. Covell and D. Mortara* 367

Use of Heart Rate Responses to Standing and Hyperventilation at Rest to Detect Coronary Artery Disease: Correlation with the S-T Response to Exercise
By *P.S. Greenberg, B.M. Cooke, M. Bible and M.H. Ellestad* 373

Deep T Wave Inversions after Valve Replacement for Chronic Aortic Regurgitation: Possible Conversion from a Diastolic to Systolic Overload Pattern
By *A.L. Goldberger* 379

Annotation

Relative Influence of Intracardiac Blood Hematocrit and Volume on the Electrocardiogram
By *C.V. Nelson* 387

Case Studies

Superficial Accessory Pathway in the Wolff-Parkinson-White Syndrome—Electrophysiological, Surgical and Histologic Demonstration
By *W.J. Untereker, R.S. Litwak, B.P. Mindich, G. Wiemann, S. Goldberg, R. Gorlin and J. Kupersmith* 393

Arrhythmia Resulting from Sensing Malfunction in a P Wave Triggered Pacemaker
By *G. Curtis and L.H. Lief* 401

Alternating Bundle Branch Block
By *F.L. Gold and A.H.L. From* 405

Recent Progress in Cardiac Pacing

Evaluation of Unusual QRS Complexes Produced by Pacemaker Stimuli—With Special Reference to the Vectorcardiographic and Echocardiographic Findings
By *K. Ishikawa and A. Yanagisawa* 409

Index 417